"NO COPIES IN WHATEVER FORMAT MAY BE MADE OF MATERIAL IN THIS MICROFORM. FOR PERMISSIONS CONTACT THE COPYRIGHT HOLDER ELSEVIER SCIENCE LTD. THE BOULEVARD, LANGFORD LANE, KIDLINGTON, OXFORD, ENGLAND OX5-1GB."

Vol. 238
Contents

2004

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Aquaculture 238 (2004) 541–544
Aquaculture
www.elsevier.com/locate/aqua-online

Contents of *Aquaculture*, Volume 238

VOL. 238 NOS. 1–4 **1 September 2004**

Review article

DNA marker technologies and their applications in aquaculture genetics
Z.J. Liu (Auburn, AL, USA) and J.F. Cordes (Gloucester Point, VA, USA) 1

Diseases

18-kDa protein as a marker to detect WSSV infection in shrimps
S. Sathish, C. Selvakkumar (Chennai, India), A.S. Sahul Hameed (Tamil Nadu, India) and R.B. Narayanan (Chennai, India). 39

Attempt to validate breakpoint MIC values estimated from pharmacokinetic data obtained during oxolinic acid therapy of winter ulcer disease in Atlantic salmon (*Salmo salar*)
R. Coyne, Ø. Bergh, O. Samuelsen, K. Andersen, B.T. Lunestad, H. Nilsen (Bergen, Norway), I. Dalsgaard (Frederiksberg, Denmark) and P. Smith (Galway, Ireland). 51

Potentiation of antibody production in Indian major carp *Labeo rohita*, rohu, by *Achyranthes aspera* as a herbal feed ingredient
Y. Vasudeva Rao, M. Romesh, A. Singh and R. Chakrabarti (Delhi, India). 67

Improved growth of *Flavobacterium psychrophilum* using a new culture medium
C. Cepeda, S. García-Márquez and Y. Santos (Santiago de Compostela, Spain). 75

Susceptibility of spotted halibut *Verasper variegatus* (Pleuronectidae) to infection by the monogenean *Neobenedenia girellae* (Capsalidae) and oral therapy trials using praziquantel
N. Hirazawa, T. Mitsuboshi, T. Hirata and K. Shirasu (Oita, Japan). 83

Use of *Rosmarinus officinalis* as a treatment against *Streptococcus iniae* in tilapia (*Oreochromis* sp.)
S. Abutbul, A. Golan-Goldhirsh, O. Barazani and D. Zilberg (Israel). 97

High-M alginate immunostimulation of Atlantic halibut (*Hippoglossus hippoglossus* L.) larvae using *Artemia* for delivery, increases resistance against vibriosis
J. Skjermo (Trondheim, Norway) and Ø. Bergh (Bergen, Norway) 107

Immune responses in different fullsib families of Indian major carp, *Labeo rohita*, exhibiting differential resistance to *Aeromonas hydrophila* infection
P.K. Sahoo, P.K. Meher, K.D. Mahapatra, J.N. Saha, R.K. Jana and P.V.G.K. Reddy (Orissa, India) 115

Studies on the occurrence of *Macrobrachium rosenbergii* nodavirus and extra small virus-like particles associated with white tail disease of *M. rosenbergii* in India by RT-PCR detection
A.S. Sahul Hameed, K. Yoganandhan (Tamil Nadu, India), J. Sri Widada and J.R. Bonami (Montpellier, France). 127

Efficacy of hydrogen peroxide to control saprolegniasis on channel catfish (*Ictalurus punctatus*) eggs
J.J. Rach (La Crosse, WI, USA), J.J. Valentine (Warsaw, MO, USA), T.M. Schreier, M.P. Gaikowski (La Crosse, WI, USA) and T.G. Crawford (Warsaw, MO, USA) 135

Genetics

DNA fingerprinting of selected *Laminaria* (Phaeophyta) gametophytes by RAPD markers
X.-L. Wang (Qingdao; Beijing, China), Y.-X. Yang, Y.-Z. Cong (Yantai, China) and D.-L. Duan (Qingdao, China) 143
Establishment of fertile tetraploid population of blunt snout bream (*Megalobrama amblycephala*)
S. Zou, S. Li, W. Cai, J. Zhao and H. Yang (Shanghai, China) 155
A genetic linkage map of common carp (*Cyprinus carpio* L.) And mapping of a locus associated with cold tolerance
X. Sun and L. Liang (Harbin, People's Republic of China). 165

Husbandry and Management

Effects of age and size on reproductive performance of captive *Farfantepenaeus paulensis* broodstock
S. Peixoto, R.O. Cavalli, W. Wasielesky, F. D'Incao, D. Krummenauer and Â.M. Milach (Rio Grande, Brazil) 173
Cryopreservation of sperm of red snapper (*Lutjanus campechanus*)
K.L. Riley, C.G. Holladay (Baton Rouge, LA, USA), E.J. Chesney (Chauvin, LA, USA) and T.R. Tiersch (Baton Rouge, LA, USA). 183
Rearing performance of *Spongia officinalis* on suspended ropes off the Southern Italian Coast (Central Mediterranean Sea)
G. Corriero, C. Longo, M. Mercurio, C. Nonnis Marzano, G. Lembo and M.T. Spedicato (Bari, Italy) 195
Effect of water motion on the cultivation of the economic seaweed *Gracilaria parvispora* (Rhodophyta) on Molokai, Hawaii
E. Ryder, S.G. Nelson, C. McKeon, E.P. Glenn, K. Fitzsimmons (Tucson, AZ, USA) and S. Napolean (Molokai, HI, USA) 207
Aquaculture potential of the common octopus (*Octopus vulgaris* Cuvier, 1797): a review
P. Vas-Pires, P. Seixas and A. Barbosa (Oporto, Portugal). 221
The combined effects of temperature and salinity on growth and survival of juvenile mud crabs (*Scylla serrata* Forskål)
I.M. Ruscoe, C.C. Shelley and G.R. Williams (Darwin, Australia). 239
Observations on the life cycle of *Procambarus acutus acutus* in South Carolina culture ponds
Y. Mazlum and A.G. Eversole (Clemson, SC, USA) 249
The potential of using iron-oxide-rich soils for minimizing the detrimental effects of H_2S in freshwater aquaculture systems
O. Lahav, G. Ritvo, I. Slijper (Haifa, Israel), G. Hearne (Johannesburg, South Africa) and M. Cochva (Haifa, Israel) 263

Nutrition

Consumption vs. deposition of essential fatty acids in gilthead sea bream (*Sparus aurata*) larvae fed semi-purified diets
J.H. Robin and A. Peron (France) 283
Expression and activities of pancreatic enzymes in developing sea bass larvae (*Dicentrarchus labrax*) in relation to intact and hydrolyzed dietary protein; involvement of cholecystokinin
C. Cahu (Plouzané, France), I. Rønnestad (Bergen, Norway), V. Grangier and J.L. Zambonino Infante (Plouzané, France). 295
Body composition, growth performance, and product quality of rainbow trout (*Oncorhynchus mykiss*) fed diets containing poultry fat, soybean/corn lecithin, or menhaden oil
K.K.M. Liu (Seattle, WA, USA), F.T. Barrows (Bozeman, MT, USA), R.W. Hardy (Hagerman, ID, USA) and F.M. Dong (Urbana, IL, USA). 309